



Interlocking **Nails**

“OPENING A WORLD OF ENDLESS POSSIBILITIES TO AUGMENT YOUR ART OF LIVING”

About Us

At Seinser, we believe in three foundational elements more than anything else while manufacturing the surgical implants - quality, consistency and innovation. We have established our manufacturing unit, the first of its kind across India, with an undying zeal to help humankind smile the brightest and live unstoppably.

Walking on the paths of the Make In India initiative while also taking precisions to maintain international standards, Seinser strives to manufacture and bring to you unmatched quality of world-class maxillofacial, neuro and spine implants that augment your art of living.

With experience and in-depth knowledge in the sphere of osteosynthesis, we have so far gained the trust and credibility of doctors and surgeons across the country. Keeping such recognition and reliability gained from our home country as our inspiration, we are at the door of bringing endless possibilities as we join the parade to export our products across international borders.

BIOCOMPATIBILITY AND ADAPTABILITY

At Seinser, we work on the principles of optimised customisation. Our products inherently come with biocompatibility and adaptability and ensure that the patients receive utmost safety and care.

Biocompatibility is a state of acceptance for synthetic implants by the surrounding tissues and human body without any undesirable reactions, allergic responses, inflammation or chronicle problems. More importantly, biocompatibility ensures that the materials are not carcinogenic.

The adaptability of surgical implants means how seamlessly they fit the bone structure of an individual's anatomy. With biology, the anatomy of every individual differs too. Our products are customised to fit an individual's bone structure and size precisely without compromising on comfort in any way.

PFNA II Nail

Dia. 9Ø

Length	Stainless Steel	Titanium
180mm	PS113.9.180	PT113.9.180
240mm	PS113.9.240	PT113.9.240
340mm	PS113.(L/R).9.340	PT113.(L/R).9.340
360mm	PS113.(L/R).9.360	PT113.(L/R).9.360
380mm	PS113.(L/R).9.380	PT113.(L/R).9.380
400mm	PS113.(L/R).9.400	PT113.(L/R).9.400
420mm	PS113.(L/R).9.420	PT113.(L/R).9.420
440mm	PS113.(L/R).9.440	PT113.(L/R).9.440

Dia. 10Ø

Length	Stainless Steel	Titanium
180mm	PS113.10.180	PT113.10.180
240mm	PS113.10.240	PT113.10.240
340mm	PS113.(L/R).10.340	PT113.(L/R).10.340
360mm	PS113.(L/R).10.360	PT113.(L/R).10.360
380mm	PS113.(L/R).10.380	PT113.(L/R).10.380
400mm	PS113.(L/R).10.400	PT113.(L/R).10.400
420mm	PS113.(L/R).10.420	PT113.(L/R).10.420
440mm	PS113.(L/R).10.440	PT113.(L/R).10.440

Dia. 11Ø

Length	Stainless Steel	Titanium
180mm	PS113.11.180	PT113.11.180
240mm	PS113.11.240	PT113.11.240
340mm	PS113.(L/R).11.340	PT113.(L/R).11.340
360mm	PS113.(L/R).11.360	PT113.(L/R).11.360
380mm	PS113.(L/R).11.380	PT113.(L/R).11.380
400mm	PS113.(L/R).11.400	PT113.(L/R).11.400
420mm	PS113.(L/R).11.420	PT113.(L/R).11.420
440mm	PS113.(L/R).11.440	PT113.(L/R).11.440

Dia. 12Ø

Length	Stainless Steel	Titanium
180mm	PS113.12.180	PT113.12.180
240mm	PS113.12.240	PT113.12.240



4.9mm Interlocking Bolt

Length	Stainless Steel	Titanium	Length	Stainless Steel	Titanium
24mm	PS221.024	PT221.024	48mm	PS221.048	PT221.048
26mm	PS221.026	PT221.026	50mm	PS221.050	PT221.050
28mm	PS221.028	PT221.028	52mm	PS221.052	PT221.052
30mm	PS221.030	PT221.030	54mm	PS221.054	PT221.054
32mm	PS221.032	PT221.032	56mm	PS221.056	PT221.056
34mm	PS221.034	PT221.034	58mm	PS221.058	PT221.058
36mm	PS221.036	PT221.036	60mm	PS221.060	PT221.060
38mm	PS221.038	PT221.038	65mm	PS221.065	PT221.065
40mm	PS221.040	PT221.040	70mm	PS221.070	PT221.070
42mm	PS221.042	PT221.042	75mm	PS221.075	PT221.075
44mm	PS221.044	PT221.044	80mm	PS221.080	PT221.080
46mm	PS221.046	PT221.046			



PFNA II BLADE

Length	Stainless Steel	Titanium
65	PS224.065	PT224.065
70	PS224.070	PT224.070
75	PS224.075	PT224.075
80	PS224.080	PT224.080
85	PS224.085	PT224.085
90	PS224.090	PT224.090
95	PS224.095	PT224.095
100	PS224.100	PT224.100
105	PS224.105	PT224.105
110	PS224.110	PT224.110
115	PS224.115	PT224.115



PFNA II BLADE

Length	Stainless Steel	Titanium
65	PS225.065	PT225.065
70	PS225.070	PT225.070
75	PS225.075	PT225.075
80	PS225.080	PT225.080
85	PS225.085	PT225.085
90	PS225.090	PT225.090
95	PS225.095	PT225.095
100	PS225.100	PT225.100
105	PS225.105	PT225.105
110	PS225.110	PT225.110
115	PS225.115	PT225.115







PFNA II Instrument Set

- 1 PFNA2 INSERTION JIG
- 2 AIMING ARM 130 FOR PFNA2 BLADE
- 3 AIMING ARM 90 STATIC / DYNAMIC
- 4 AIMING ARM 120 STATIC / DYNAMIC
- 5 PFNA2 CONICAL BOLT
- 6 PROTECTION LOCKING SLEEVE WITH COMPRESSION NUT
- 7 DRILL SLEEVE FOR LOCKING SLEEVE
- 8 TROCAR POINT FOR LOCKING SLEEVE
- 9 PFNA2 PROTECTION SLEEVE - 16MM
- 10 GUIDE WIRE SLEEVE - 16MM
- 11 PFNA2 PROXIMAL REAMER - 16MM
- 12 ADJUSTABLE REAMER FOR PFNA2 BLADE - 11MM
- 13 DEPTH GAUGE
- 14 DIRECT MEASURING DEVICE FOR GUIDE WIRE
- 15 PFNA2 BLADE SCREW DRIVER
- 16 CANNULATED AWL
- 17 CROSSLINK HAMMERING DEVICE
- 18 4.5MM HEX. SCREW DRIVER
- 19 END CAP SCREW DRIVER
- 20 EXTRACTOR ROD
- 21 PROTECTION SLEEVE - 11MM
- 22 DRILL SLEEVE - 4MM
- 23 TROCAR SLEEVE - 4MM
- 24 EXTRACTOR ROD FOR PFNA2 BLADE
- 25 UNIVERSAL HAMMER
- 26 Q. C. HANDLE
- 27 SPHERICAL HEAD SPANNER
- 28 COMBINATION WRENCH & KEY FOR PFNA2 BLADE
- 29 RADIOGRAPHIC SCALE
- 30 BLADE INTRODUCER EXTRACTOR ROD
- 31 CLEANING GUIDE WIRE
- 32 NAIL REMOVAL GUIDE WIRE
- 33 TOMY BAR
- 34 S.S. DRILL BIT 4MM X 250MM LONG

PFN II End Cap
Code No.: 227



PFN III Inner Screw
Code No.: 228



Trochanteric Femur Nail

Dia. 9mm (130° & 135°)

Length	Stainless Steel	Titanium
180mm	PS105.9.180	PT105.9.180

Dia. 10mm (130° & 135°)

Length	Stainless Steel	Titanium
180mm	PS105.10.180	PT105.10.180

Dia. 11mm (130° & 135°)

Length	Stainless Steel	Titanium
180mm	PS105.11.180	PT105.11.180

Dia. 12mm (130° & 135°)

Length	Stainless Steel	Titanium
180mm	PS105.12.180	PT105.12.180



Proximal Femur Nail

Dia. 9mm (130° & 135°)

Length	Stainless Steel	Titanium
250mm	PS105.9.250	PT105.9.250

Dia. 10mm (130° & 135°)

Length	Stainless Steel	Titanium
250mm	PS105.10.250	PT105.10.250

Dia. 11mm (130° & 135°)

Length	Stainless Steel	Titanium
250mm	PS105.11.250	PT105.11.250

Dia. 12mm (130° & 135°)

Length	Stainless Steel	Titanium
250mm	PS105.12.250	PT105.12.250



Proximal Femur Nail - Long

Dia. 9mm (130° & 135°)

Length	Stainless Steel	Titanium
340mm	PS107.9.(L/R).340	PT107.9.(L/R).340
360mm	PS107.9.(L/R).360	PT107.9.(L/R).360
380mm	PS107.9.(L/R).380	PT107.9.(L/R).380
400mm	PS107.9.(L/R).400	PT107.9.(L/R).400
420mm	PS107.9.(L/R).420	PT107.9.(L/R).420
440mm	PS107.9.(L/R).440	PT107.9.(L/R).440

Dia. 10mm (130° & 135°)

Length	Stainless Steel	Titanium
340mm	PS107.10.(L/R).340	PT107.10.(L/R).340
360mm	PS107.10.(L/R).360	PT107.10.(L/R).360
380mm	PS107.10.(L/R).380	PT107.10.(L/R).380
400mm	PS107.10.(L/R).400	PT107.10.(L/R).400
420mm	PS107.10.(L/R).420	PT107.10.(L/R).420
440mm	PS107.10.(L/R).440	PT107.10.(L/R).440

Dia. 11mm (130° & 135°)

Length	Stainless Steel	Titanium
340mm	PS107.11.(L/R).340	PT107.11.(L/R).340
360mm	PS107.11.(L/R).360	PT107.11.(L/R).360
380mm	PS107.11.(L/R).380	PT107.11.(L/R).380
400mm	PS107.11.(L/R).400	PT107.11.(L/R).400
420mm	PS107.11.(L/R).420	PT107.11.(L/R).420
440mm	PS107.11.(L/R).440	PT107.11.(L/R).440

Dia. 12mm (130° & 135°)

Length	Stainless Steel	Titanium
340mm	PS107.12.(L/R).340	PT107.12.(L/R).340
360mm	PS107.12.(L/R).360	PT107.12.(L/R).360
380mm	PS107.12.(L/R).380	PT107.12.(L/R).380
400mm	PS107.12.(L/R).400	PT107.12.(L/R).400
420mm	PS107.12.(L/R).420	PT107.12.(L/R).420
440mm	PS107.12.(L/R).440	PT107.12.(L/R).440

6.4mm Proximal Bolt

Length	Stainless Steel	Titanium
55	PS222.050	PT222.050
60	PS222.060	PT222.060
65	PS222.065	PT222.065
70	PS222.070	PT222.070
75	PS222.075	PT222.075
80	PS222.080	PT222.080
85	PS222.085	PT222.085
90	PS222.090	PT222.090
95	PS222.095	PT222.095
100	PS222.100	PT222.100
105	PS222.105	PT222.105
110	PS222.110	PT222.110
115	PS222.115	PT222.115



8.0mm Proximal Bolt

Length	Stainless Steel	Titanium
55	PS223.050	PT223.050
60	PS223.060	PT223.060
65	PS223.065	PT223.065
70	PS223.070	PT223.070
75	PS223.075	PT223.075
80	PS223.080	PT223.080
85	PS223.085	PT223.085
90	PS223.090	PT223.090
95	PS223.095	PT223.095
100	PS223.100	PT223.100
105	PS223.105	PT223.105
110	PS223.110	PT223.110
115	PS223.115	PT223.115




PFN End Cap Code No.: 229




4.9mm Interlocking Bolt

Length	Stainless Steel	Titanium	Length	Stainless Steel	Titanium
24mm	PS221.024	PT221.024	48mm	PS221.048	PT221.048
26mm	PS221.026	PT221.026	50mm	PS221.050	PT221.050
28mm	PS221.028	PT221.028	52mm	PS221.052	PT221.052
30mm	PS221.030	PT221.030	54mm	PS221.054	PT221.054
32mm	PS221.032	PT221.032	56mm	PS221.056	PT221.056
34mm	PS221.034	PT221.034	58mm	PS221.058	PT221.058
36mm	PS221.036	PT221.036	60mm	PS221.060	PT221.060
38mm	PS221.038	PT221.038	65mm	PS221.065	PT221.065
40mm	PS221.040	PT221.040	70mm	PS221.070	PT221.070
42mm	PS221.042	PT221.042	75mm	PS221.075	PT221.075
44mm	PS221.044	PT221.044	80mm	PS221.080	PT221.080
46mm	PS221.046	PT221.046			



PFN & TFN Instrument Set

- | | | |
|---|--|--|
| <ul style="list-style-type: none"> 1 COMBO JIG - PFN & TFN - 135 2 PF.N. CONICAL BOLT - 2 PCS. 3 PF.N. PROTECTION GUIDE SLEEVE - 12MM 4 PF.N. DRILL SLEEVE - 5.5MM 5 PROTECTION GUIDE SLEEVE - 8MM 6 DRILL SLEEVE - 4MM LONG 7 PF.N. GUIDE WIRE SLEEVE - 2MM 8 GUIDE WIRE SLEEVE - 2MM 9 PFN SOLAPUR SLEEVE - 15MM 10 S.S. DRILL BIT - 5.5MM X 300MM - SOLID 11 S.S. DRILL BIT - 4MM X 250MM | <ul style="list-style-type: none"> 12 STARTING AWL 13 CENTRING AWL -15MM (CANNULATED) 14 REAMER FOR PFN. BOLT - CANNULATED - 8MM 15 REAMER FOR PROXIMAL BOLT - CANNULATED - 6.4MM 16 HEXAGONAL SCREW DRIVER - CANNULATED - 6.4MM 17 " T " HANDLE 18 AWL FOR PROXIMAL BOLT 19 4.5MM HEX. SCREW DRIVER (EXTRA LONG) 20 10MM SOCKET WRENCH 21 SUPINE DRIVER 22 DEPTH GAUGE | <ul style="list-style-type: none"> 23 EXTRACTOR ROD 24 HANDLE FOR EXTRACTOR 25 ROUND HAMMER 26 TOMY BAR 27 2.5MM GUIDE WIRE - 1METER LONG 28 2MM X 400MM LONG GUIDE PIN - 4PCS. 29 HAMMERING APATCHMENT WITH CAP 30 TISSUE PROTECTOR 31 COMBO JIG - PFN & TFN - 130 |
|---|--|--|



Expert Tibia Nail

Dia. 8mm

Length	Stainless Steel	Titanium
280mm	PS109.8.280	PT109.8.280
300mm	PS109.8.300	PT109.8.300
320mm	PS109.8.320	PT109.8.320
340mm	PS109.8.340	PT109.8.340
360mm	PS109.8.360	PT109.8.360
380mm	PS109.8.380	PT109.8.380

Dia. 9mm

Length	Stainless Steel	Titanium
280mm	PS109.9.280	PT109.9.280
300mm	PS109.9.300	PT109.9.300
320mm	PS109.9.320	PT109.9.320
340mm	PS109.9.340	PT109.9.340
360mm	PS109.9.360	PT109.9.360
380mm	PS109.9.380	PT109.9.380

Dia. 10mm

Length	Stainless Steel	Titanium
280mm	PS109.10.280	PT109.10.280
300mm	PS109.10.300	PT109.10.300
320mm	PS109.10.320	PT109.10.320
340mm	PS109.10.340	PT109.10.340
360mm	PS109.10.360	PT109.10.360
380mm	PS109.10.380	PT109.10.380

Dia. 11mm

Length	Stainless Steel	Titanium
280mm	PS109.11.280	PT109.11.280
300mm	PS109.11.300	PT109.11.300
320mm	PS109.11.320	PT109.11.320
340mm	PS109.11.340	PT109.11.340
360mm	PS109.11.360	PT109.11.360
380mm	PS109.11.380	PT109.11.380



3.9mm Interlocking Bolt

Length	Stainless Steel	Titanium
22mm	PS220.022	PT220.022
24mm	PS220.024	PT220.024
26mm	PS220.026	PT220.026
28mm	PS220.028	PT220.028
30mm	PS220.030	PT220.030
32mm	PS220.032	PT220.032
34mm	PS220.034	PT220.034
36mm	PS220.036	PT220.036
38mm	PS220.038	PT220.038
40mm	PS220.040	PT220.040
42mm	PS220.042	PT220.042
44mm	PS220.044	PT220.044
46mm	PS220.046	PT220.046
48mm	PS220.048	PT220.048
50mm	PS220.050	PT220.050



Expert Tibia End Cap Code No.: 232



4.9mm Interlocking Bolt


Length	Stainless Steel	Titanium	Length	Stainless Steel	Titanium
24mm	PS221.024	PT221.024	48mm	PS221.048	PT221.048
26mm	PS221.026	PT221.026	50mm	PS221.050	PT221.050
28mm	PS221.028	PT221.028	52mm	PS221.052	PT221.052
30mm	PS221.030	PT221.030	54mm	PS221.054	PT221.054
32mm	PS221.032	PT221.032	56mm	PS221.056	PT221.056
34mm	PS221.034	PT221.034	58mm	PS221.058	PT221.058
36mm	PS221.036	PT221.036	60mm	PS221.060	PT221.060
38mm	PS221.038	PT221.038	65mm	PS221.065	PT221.065
40mm	PS221.040	PT221.040	70mm	PS221.070	PT221.070
42mm	PS221.042	PT221.042	75mm	PS221.075	PT221.075
44mm	PS221.044	PT221.044	80mm	PS221.080	PT221.080
46mm	PS221.046	PT221.046			





Expert Tibia Instrument Set

- 1 EXPERT PROXIMAL JIG
- 2 EXPERT CONICAL BOLT - 2 PCS.
- 3 PROTECTION GUIDE SLEEVE - 10MM
- 4 DRILL SLEEVE - 4MM LONG
- 5 AWL FOR PROXIMAL
- 6 CURVED BONE AWL
- 7 S.S. DRILL BIT - 4MM X 250MM
- 8 4.5MM HEXAGONAL SCREW DRIVER (EXTRA LONG)
- 9 10MM SPANNER
- 10 SUPINE DRIVER
- 11 DEPTH GAUGE
- 12 EXTRACTOR ROD
- 13 HANDLE FOR EXTRACTOR
- 14 ROUND HAMMER
- 15 TOMY BAR
- 16 TISSUE PROTECTOR
- 17 2.5MM GUIDE WIRE - 1METER LONG



Expert Femur Nail

Dia. 9mm

Length	Stainless Steel	Titanium
340mm	PS112.9.L.340	PT112.9.L.340
360mm	PS112.9.L.360	PT112.9.L.360
380mm	PS112.9.L.380	PT112.9.L.380
400mm	PS112.9.L.400	PT112.9.L.400
420mm	PS112.9.L.420	PT112.9.L.420
440mm	PS112.9.L.440	PT112.9.L.440

Dia. 9mm

Length	Stainless Steel	Titanium
340mm	PS112.9.R.340	PT112.9.R.340
360mm	PS112.9.R.360	PT112.9.R.360
380mm	PS112.9.R.380	PT112.9.R.380
400mm	PS112.9.R.400	PT112.9.R.400
420mm	PS112.9.R.420	PT112.9.R.420
440mm	PS112.9.R.440	PT112.9.R.440

Dia. 10mm

Length	Stainless Steel	Titanium
340mm	PS112.10.L.340	PT112.10.L.340
360mm	PS112.10.L.360	PT112.10.L.360
380mm	PS112.10.L.380	PT112.10.L.380
400mm	PS112.10.L.400	PT112.10.L.400
420mm	PS112.10.L.420	PT112.10.L.420
440mm	PS112.10.L.440	PT112.10.L.440

Dia. 10mm

Length	Stainless Steel	Titanium
340mm	PS112.10.R.340	PT112.10.R.340
360mm	PS112.10.R.360	PT112.10.R.360
380mm	PS112.10.R.380	PT112.10.R.380
400mm	PS112.10.R.400	PT112.10.R.400
420mm	PS112.10.R.420	PT112.10.R.420
440mm	PS112.10.R.440	PT112.10.R.440

Dia. 11mm

Length	Stainless Steel	Titanium
340mm	PS112.11.L.340	PT112.11.L.340
360mm	PS112.11.L.360	PT112.11.L.360
380mm	PS112.11.L.380	PT112.11.L.380
400mm	PS112.11.L.400	PT112.11.L.400
420mm	PS112.11.L.420	PT112.11.L.420
440mm	PS112.11.L.440	PT112.11.L.440

Dia. 11mm

Length	Stainless Steel	Titanium
340mm	PS112.11.R.340	PT112.11.R.340
360mm	PS112.11.R.360	PT112.11.R.360
380mm	PS112.11.R.380	PT112.11.R.380
400mm	PS112.11.R.400	PT112.11.R.400
420mm	PS112.11.R.420	PT112.11.R.420
440mm	PS112.11.R.440	PT112.11.R.440



4.9mm Interlocking Bolt

Length	Stainless Steel	Titanium	Length	Stainless Steel	Titanium
24mm	PS221.024	PT221.024	48mm	PS221.048	PT221.048
26mm	PS221.026	PT221.026	50mm	PS221.050	PT221.050
28mm	PS221.028	PT221.028	52mm	PS221.052	PT221.052
30mm	PS221.030	PT221.030	54mm	PS221.054	PT221.054
32mm	PS221.032	PT221.032	56mm	PS221.056	PT221.056
34mm	PS221.034	PT221.034	58mm	PS221.058	PT221.058
36mm	PS221.036	PT221.036	60mm	PS221.060	PT221.060
38mm	PS221.038	PT221.038	65mm	PS221.065	PT221.065
40mm	PS221.040	PT221.040	70mm	PS221.070	PT221.070
42mm	PS221.042	PT221.042	75mm	PS221.075	PT221.075
44mm	PS221.044	PT221.044	80mm	PS221.080	PT221.080
46mm	PS221.046	PT221.046			



6.4mm Proximal Bolt

Length	Stainless Steel	Titanium
55	PS222.050	PT222.050
60	PS222.060	PT222.060
65	PS222.065	PT222.065
70	PS222.070	PT222.070
75	PS222.075	PT222.075
80	PS222.080	PT222.080
85	PS222.085	PT222.085
90	PS222.090	PT222.090
95	PS222.095	PT222.095
100	PS222.100	PT222.100
105	PS222.105	PT222.105
110	PS222.110	PT222.110
115	PS222.115	PT222.115




Tibia Femur End Cap Code No. :230



Expert Femur Instrument Set



- 1 EXPERT FEMUR PROXIMAL JIG
- 2 EXPERT FEMUR CONICAL BOLT - 2 PCS.
- 3 PROTECTION SLEEVE - 8MM
- 4 DRILL SLEEVE - 4MM
- 5 PROTECTION GUIDE SLEEVE - 8MM
- 6 GUIDE WIRE SLEEVE - 2MM
- 7 AWL FOR PROXIMAL BOLT
- 8 CURVED BONE AWL
- 9 6.4MM STEP DRILL - CANNULATED
- 10 HEXAGONAL SCREW DRIVER - CANNULATED - 6.4MM
- 11 "T" HANDLE
- 12 4.5MM HEXAGONAL SCREW DRIVER (EXTRA LONG)
- 13 10MM SOCKET WRENCH
- 14 SUPINE DRIVER
- 15 DEPTH GAUGE
- 16 EXTRACTOR ROD
- 17 HANDLE FOR EXTRACTOR
- 18 ROUND HAMMER
- 19 TOMY BAR
- 20 HAMMERING APTACHMENT WITH CAP
- 21 2.5MM GUIDE WIRE - 1METER LONG
- 22 TISSUE PROTECTOR



Tibia Nail

Dia. 8Ø

Length	Stainless Steel	Titanium
280mm	PS101.8.280	PT101.8.280
300mm	PS101.8.300	PT101.8.300
320mm	PS101.8.320	PT101.8.320
340mm	PS101.8.340	PT101.8.340
360mm	PS101.8.360	PT101.8.360
380mm	PS101.8.380	PT101.8.380

Dia. 9Ø

Length	Stainless Steel	Titanium
280mm	PS101.9.280	PT101.9.280
300mm	PS101.9.300	PT101.9.300
320mm	PS101.9.320	PT101.9.320
340mm	PS101.9.340	PT101.9.340
360mm	PS101.9.360	PT101.9.360
380mm	PS101.9.380	PT101.9.380

Dia.10Ø

Length	Stainless Steel	Titanium
280mm	PS101.10.280	PT101.10.280
300mm	PS101.10.300	PT101.10.300
320mm	PS101.10.320	PT101.10.320
340mm	PS101.10.340	PT101.10.340
360mm	PS101.10.360	PT101.10.360
380mm	PS101.10.380	PT101.10.380

Dia. 11Ø

Length	Stainless Steel	Titanium
280mm	PS101.11.280	PT101.11.280
300mm	PS101.11.300	PT101.11.300
320mm	PS101.11.320	PT101.11.320
340mm	PS101.11.340	PT101.11.340
360mm	PS101.11.360	PT101.11.360
380mm	PS101.11.380	PT101.11.380

Femur Nail

Dia. 9Ø

Length	Stainless Steel	Titanium
340mm	PS102.9.340	PT102.9.340
360mm	PS102.9.360	PT102.9.360
380mm	PS102.9.380	PT102.9.380
400mm	PS102.9.400	PT102.9.400
420mm	PS102.9.420	PT102.9.420
440mm	PS102.9.440	PT102.9.440

Dia. 10Ø

Length	Stainless Steel	Titanium
340mm	PS102.10.340	PT102.10.340
360mm	PS102.10.360	PT102.10.360
380mm	PS102.10.380	PT102.10.380
400mm	PS102.10.400	PT102.10.400
420mm	PS102.10.420	PT102.10.420
440mm	PS102.10.440	PT102.10.440

Dia.11Ø

Length	Stainless Steel	Titanium
340mm	PS102.11.340	PT102.11.340
360mm	PS102.11.360	PT102.11.360
380mm	PS102.11.380	PT102.11.380
400mm	PS102.11.400	PT102.11.400
420mm	PS102.11.420	PT102.11.420
440mm	PS102.11.440	PT102.11.440

Dia. 12Ø

Length	Stainless Steel	Titanium
340mm	PS102.12.340	PT102.12.340
360mm	PS102.12.360	PT102.12.360
380mm	PS102.12.380	PT102.12.380
400mm	PS102.12.400	PT102.12.400
420mm	PS102.12.420	PT102.12.420
440mm	PS102.12.440	PT102.12.440



4.9mm Interlocking Bolt

Length	Stainless Steel	Titanium
24mm	PS221.024	PT221.024
26mm	PS221.026	PT221.026
28mm	PS221.028	PT221.028
30mm	PS221.030	PT221.030
32mm	PS221.032	PT221.032
34mm	PS221.034	PT221.034
36mm	PS221.036	PT221.036
38mm	PS221.038	PT221.038
40mm	PS221.040	PT221.040
42mm	PS221.042	PT221.042
44mm	PS221.044	PT221.044
46mm	PS221.046	PT221.046

Length	Stainless Steel	Titanium
48mm	PS221.048	PT221.048
50mm	PS221.050	PT221.050
52mm	PS221.052	PT221.052
54mm	PS221.054	PT221.054
56mm	PS221.056	PT221.056
58mm	PS221.058	PT221.058
60mm	PS221.060	PT221.060
65mm	PS221.065	PT221.065
70mm	PS221.070	PT221.070
75mm	PS221.075	PT221.075
80mm	PS221.080	PT221.080



3.9mm Interlocking Bolt

Length	Stainless Steel	Titanium
22mm	PS220.022	PT220.022
24mm	PS220.024	PT220.024
26mm	PS220.026	PT220.026
28mm	PS220.028	PT220.028
30mm	PS220.030	PT220.030
32mm	PS220.032	PT220.032
34mm	PS220.034	PT220.034
36mm	PS220.036	PT220.036
38mm	PS220.038	PT220.038
40mm	PS220.040	PT220.040
42mm	PS220.042	PT220.042
44mm	PS220.044	PT220.044
46mm	PS220.046	PT220.046
48mm	PS220.048	PT220.048
50mm	PS220.050	PT220.050






**Tibia Femur
End Cap
Code No. :230**





Tibia/Femur Instrument Set

- 1 PROXIMAL JIG FOR TIBIA & FEMUR
- 2 CONICAL BOLT - 2 PCS.
- 3 PROTECTION SLEEVE
- 4 DRILL SLEEVE - 3.2MM
- 5 DRILL SLEEVE - 4.0MM
- 6 S.S. DRILL BIT 4MM X 200MM
- 7 S.S. DRILL BIT 3.2 X 200MM
- 8 POINTER SLEEVE
- 9 CURVED BONE AWL
- 10 4.5MM HEXAGONAL SCREW DRIVER (EXTRA LONG)
- 11 10MM SOCKET WRENCH
- 12 SUPINE DRIVER
- 13 DEPTH GAUGE
- 14 EXTRACTOR ROD
- 15 HANDLE FOR EXTRACTOR
- 16 ROUND HAMMER
- 17 TOMY BAR
- 18 HAMMERING APTACHMENT WITH CAP
- 19 TISSUE PROTECTOR
- 20 2.5MM GUIDE WIRE - 1METER LONG
- 21 TEFLON TUBE



Humerus Nail

Dia. 6mm Solid

Length	Stainless Steel	Titanium
180mm	PS110.6.180	PT110.6.180
200mm	PS110.6.200	PT110.6.200
220mm	PS110.6.220	PT110.6.220
240mm	PS110.6.240	PT110.6.240
260mm	PS110.6.260	PT110.6.260
280mm	PS110.6.280	PT110.6.280
300mm	PS110.6.300	PT110.6.300

Dia. 7mm Cannu.

Length	Stainless Steel	Titanium
180mm	PS110.7.180	PT110.7.180
200mm	PS110.7.200	PT110.7.200
220mm	PS110.7.220	PT110.7.220
240mm	PS110.7.240	PT110.7.240
260mm	PS110.7.260	PT110.7.260
280mm	PS110.7.280	PT110.7.280
300mm	PS110.7.300	PT110.7.300

Dia. 8mm Cannu.

Length	Stainless Steel	Titanium
180mm	PS110.8.180	PT110.8.180
200mm	PS110.8.200	PT110.8.200
220mm	PS110.8.220	PT110.8.220
240mm	PS110.8.240	PT110.8.240
260mm	PS110.8.260	PT110.8.260
280mm	PS110.8.280	PT110.8.280
300mm	PS110.8.300	PT110.8.300



2.9mm Interlocking Bolt

Length	Stainless Steel	Titanium
16mm	PS218.016	PT218.016
18mm	PS218.018	PT218.018
20mm	PS218.020	PT218.020
22mm	PS218.022	PT218.022
24mm	PS218.024	PT218.024
26mm	PS218.026	PT218.026
28mm	PS218.028	PT218.028
30mm	PS218.030	PT218.030
32mm	PS218.032	PT218.032
34mm	PS218.034	PT218.034
36mm	PS218.036	PT218.036
38mm	PS218.038	PT218.038
40mm	PS218.040	PT218.040




3.4mm Interlocking Bolt

Length	Stainless Steel	Titanium
16mm	PS219.016	PT219.016
18mm	PS219.018	PT219.018
20mm	PS219.020	PT219.020
22mm	PS219.022	PT219.022
24mm	PS219.024	PT219.024
26mm	PS219.026	PT219.026
28mm	PS219.028	PT219.028
30mm	PS219.030	PT219.030
32mm	PS219.032	PT219.032
34mm	PS219.034	PT219.034
36mm	PS219.036	PT219.036
38mm	PS219.038	PT219.038
40mm	PS219.040	PT219.040






Humrus End Cap Code No.: 233





Humeral Instrument Set

- 1 UHN PROXIMAL JIG
- 2 UHN CONICAL BOLT - 2 PCS.
- 3 PROTECTION GUIDE SLEEVE - 8MM
- 4 DRILL SLEEVE - 2.7MM
- 5 TROCAR SLEEVE
- 6 STRAIGHT AWL
- 7 S.S. DRILL BIT - 2.7MM X 8" LONG
- 8 COMPRESSION SLEEVE
- 9 COMPRESSION ATTACHMENT WITH CONICAL BOLT
- 10 4.5MM HEXAGONAL SCREW DRIVER (EXTRA LONG)
- 11 10MM SPANNER
- 12 SUPINE DRIVER
- 13 DEPTH GAUGE
- 14 EXTRACTOR ROD
- 15 HANDLE FOR EXTRACTOR
- 16 ROUND HAMMER
- 17 TOMY BAR
- 18 TISSUE PROTECTOR
- 19 GUIDE WIRE - 1.8MM



Supra Condylar Nail

Dia. 10Ø

Length	Stainless Steel	Titanium
150mm	PS108.10.150	PT108.10.150
200mm	PS108.10.200	PT108.10.200
250mm	PS108.10.250	PT108.10.250
300mm	PS108.10.300	PT108.10.300
350mm	PS108.10.350	PT108.10.350

Dia. 11Ø

Length	Stainless Steel	Titanium
150mm	PS108.11.150	PT108.11.150
200mm	PS108.11.200	PT108.11.200
250mm	PS108.11.250	PT108.11.250
300mm	PS108.11.300	PT108.11.300
350mm	PS108.11.350	PT108.11.350

Dia. 12Ø

Length	Stainless Steel	Titanium
150mm	PS108.12.150	PT108.12.150
200mm	PS108.12.200	PT108.12.200
250mm	PS108.12.250	PT108.12.250
300mm	PS108.12.300	PT108.12.300
350mm	PS108.12.350	PT108.12.350



4.9mm Interlocking Bolt

Length	Stainless Steel	Titanium	Length	Stainless Steel	Titanium
24mm	PS221.024	PT221.024	48mm	PS221.048	PT221.048
26mm	PS221.026	PT221.026	50mm	PS221.050	PT221.050
28mm	PS221.028	PT221.028	52mm	PS221.052	PT221.052
30mm	PS221.030	PT221.030	54mm	PS221.054	PT221.054
32mm	PS221.032	PT221.032	56mm	PS221.056	PT221.056
34mm	PS221.034	PT221.034	58mm	PS221.058	PT221.058
36mm	PS221.036	PT221.036	60mm	PS221.060	PT221.060
38mm	PS221.038	PT221.038	65mm	PS221.065	PT221.065
40mm	PS221.040	PT221.040	70mm	PS221.070	PT221.070
42mm	PS221.042	PT221.042	75mm	PS221.075	PT221.075
44mm	PS221.044	PT221.044	80mm	PS221.080	PT221.080
46mm	PS221.046	PT221.046			



6.5mm IMSC Screw

Length	Stainless Steel	Titanium
25mm	PS226.025	PT226.025
30mm	PS226.030	PT226.030
35mm	PS226.035	PT226.035
40mm	PS226.040	PT226.040
45mm	PS226.045	PT226.045
50mm	PS226.050	PT226.050
55mm	PS226.055	PT226.055
60mm	PS226.060	PT226.060
65mm	PS226.065	PT226.065
70mm	PS226.070	PT226.070
75mm	PS226.075	PT226.075
80mm	PS226.080	PT226.080
85mm	PS226.085	PT226.085
90mm	PS226.090	PT226.090
95mm	PS226.095	PT226.095
100mm	PS226.100	PT226.100





IMSC End Cap Code No.: 231





Supra Condylar Instrument Set

- 1 S.C. DRILL GUIDE
- 2 S.C. GUIDE BAR - UP TO 350MM
- 3 S.C. GUIDE BOLT
- 4 S.C. APATCHMENT BOLT
- 5 S.C. GUIDE SLEEVE - 8MM
- 6 S.C. DRILL SLEEVE - 4MM
- 7 S.C. TROCAR SLEEVE - 4MM
- 8 CANNULATED CUPTER
- 9 DIRECT MEASURING DEVICE
- 10 S.S. DRILL BIT - 4MM X 250MM
- 11 CALIBERATED GUIDE WIRE - 2.5MM X 300MM
- 12 4.5MM HEXAGONAL SCREW DRIVER (EXTRA LONG)
- 13 10MM SPANNER
- 14 SUPINE DRIVER
- 15 DEPTH GAUGE
- 16 EXTRACTOR ROD
- 17 HANDLE FOR EXTRACTOR
- 18 ROUND HAMMER
- 19 TOMY BAR
- 20 TISSUE PROTECTOR
- 21 2.5MM GUIDE WIRE - 1METER LONG



Elastic Nail

Dia	Length	Titanium
1.5mm	440mm	PT115.1.5.440
2.0mm	440mm	PT115.2.0.440
2.5mm	440mm	PT115.2.5.440
3.0mm	440mm	PT115.3.0.440
3.5mm	440mm	PT115.3.5.440
4.0mm	440mm	PT115.4.0.440
4.5mm	440mm	PT115.4.5.440



Rush Nail

Dia. 2.0, 2.5, 3.0, 3.5, 4.0, 4.5 & 5.0mm

Length	Stainless Steel	Titanium
200mm	PS116.Dia.200	PT116.Dia.200
210mm	PS116.Dia.210	PT116.Dia.210
220mm	PS116.Dia.220	PT116.Dia.220
230mm	PS116.Dia.230	PT116.Dia.230
240mm	PS116.Dia.240	PT116.Dia.240
250mm	PS116.Dia.250	PT116.Dia.250
260mm	PS116.Dia.260	PT116.Dia.260
270mm	PS116.Dia.270	PT116.Dia.270
280mm	PS116.Dia.280	PT116.Dia.280
290mm	PS116.Dia.290	PT116.Dia.290
300mm	PS116.Dia.300	PT116.Dia.300



Square Nail for ULNA

Dia. 2.0, 2.5, 3.0 & 3.5mm

Length	Stainless Steel
200mm	PS117.Dia.200
210mm	PS117.Dia.210
220mm	PS117.Dia.220
230mm	PS117.Dia.230
240mm	PS117.Dia.240
250mm	PS117.Dia.250
260mm	PS117.Dia.260
270mm	PS117.Dia.270
280mm	PS117.Dia.280
290mm	PS117.Dia.290
300mm	PS117.Dia.300



Square Nail for Radius

Dia. 2.0, 2.5, 3.0 & 3.5mm

Length	Stainless Steel
200mm	PS118.Dia.200
210mm	PS118.Dia.210
220mm	PS118.Dia.220
230mm	PS118.Dia.230
240mm	PS118.Dia.240
250mm	PS118.Dia.250
260mm	PS118.Dia.260
270mm	PS118.Dia.270
280mm	PS118.Dia.280
290mm	PS118.Dia.290
300mm	PS118.Dia.300




Enders Nail

Dia. 3.0mm		Dia. 3.5mm		Dia. 4.0mm		Dia. 4.5mm	
Length	Stainless Steel	Length	Stainless Steel	Length	Stainless Steel	Length	Stainless Steel
140mm	PS119.3.0.140	140mm	PS119.3.5.140	200mm	PS119.4.0.200	200mm	PS119.4.5.200
160mm	PS119.3.0.160	160mm	PS119.3.5.160	220mm	PS119.4.0.220	220mm	PS119.4.5.220
180mm	PS119.3.0.180	180mm	PS119.3.5.180	240mm	PS119.4.0.240	240mm	PS119.4.5.240
200mm	PS119.3.0.200	200mm	PS119.3.5.200	260mm	PS119.4.0.260	260mm	PS119.4.5.260
220mm	PS119.3.0.220	220mm	PS119.3.5.220	280mm	PS119.4.0.280	280mm	PS119.4.5.280
240mm	PS119.3.0.240	240mm	PS119.3.5.240	300mm	PS119.4.0.300	300mm	PS119.4.5.300
260mm	PS119.3.0.260	260mm	PS119.3.5.260	320mm	PS119.4.0.320	320mm	PS119.4.5.320
280mm	PS119.3.0.280	280mm	PS119.3.5.280	340mm	PS119.4.0.340	340mm	PS119.4.5.340
300mm	PS119.3.0.300	300mm	PS119.3.5.300	360mm	PS119.4.0.360	360mm	PS119.4.5.360
				380mm	PS119.4.0.380	380mm	PS119.4.5.380
				400mm	PS119.4.0.400	400mm	PS119.4.5.400
				420mm	PS119.4.0.420	420mm	PS119.4.5.420
				440mm	PS119.4.0.440	440mm	PS119.4.5.440



Screw Nail

Dia. 2.0, 2.5, 3.0 & 3.5mm		
Length	Stainless Steel	Titanium
180mm	PS120.Dia.180	PT120.Dia.180
200mm	PS120.Dia.200	PT120.Dia.200
220mm	PS120.Dia.220	PT120.Dia.220
240mm	PS120.Dia.240	PT120.Dia.240
260mm	PS120.Dia.260	PT120.Dia.260
280mm	PS120.Dia.280	PT120.Dia.280
300mm	PS120.Dia.300	PT120.Dia.300





PEHCHAN
PHARMACEUTICALS AND SURGICALS LLP

Plot No.81, Rhino Form Road,
B/H. Dharti Agro, Shapar, Rajkot - 360024. Gujarat, INDIA.
Mobile : +91 95586 89999, 81819 84849.
Email : info@pehchan.co.in



* Designs and Specifications are subject to change without notice.
* Product shown in the catalogue may differ from actual products.
* Pehchan Pharmaceuticals and Surgicals LLP is not responsible for differences between the information in the catalogue and the actual implants.

